PRINTED: 07/16/2012 FORM APPROVED OMB NO. 0938-0391

	T OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:			LE CONSTRUCTION	(X3) DATE S COMPLI	URVEY ETED
			A. BUI	LDING		-	С
		08A011	B. Win	iG			3/2012
NAME OF F	ROVIDER OR SUPPLIER	<u></u>			ET ADDRESS, CITY, STATE, ZIP	CODE	
FIVE ST	AR FOULK MANOR N	ORTHILC			12 FOULK ROAD		
110001	ANTOOLIN MANOR II			W	LMINGTON, DE 19803	·	
(X4) ID PREFIX TAG	(EACH DEFICIENC)	TEMENT OF DEFICIENCIES MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFI TAG		PROVIDER'S PLAN OF ((EACH CORRECTIVE ACTI CROSS-REFERENCED TO TI DEFICIENCY	ON SHOULD BE HE APPROPRIATE	(X5) COMPLETION DATE
F 000	INITIAL COMMEN	rs	F(000	······································	÷	
	survey was conducted 26, 2012 through Justined in this reposservations, intervenced and review	iews, review of resident's of other documentation as		And the second s	Responses to the cited defice constitute an admission of a Foulk Manor North of the talleged or conclusions set for Statement of Deficiencies. Correction is prepared solely compliance with federal and	agreement by ruth of the facts orth in the The plan of y as a matter of	
Control of the contro		ty census the first day of the	- Drain a group, and a group to the			$\lim_{n\to\infty} \operatorname{diag}_{(n)} = \operatorname{diag}_{(n)} di$	100000000000000000000000000000000000000
		icaid including 1 bed hold. The					
	Stage II sample tota		F-1	61	A. On June 28, 2012 and July	/ 3, 2012, the	
F 164 SS=D	PRIVACY/CONFIDI	e right to personal privacy and or her personal and clinical	Ĺ, į	04	facility immediately addre team member/hospice nur failing to ensure each resid Both team members under importance of respecting r	se responsible for dent's privacy. stand the	
	Personal privacy ind medical treatment, ocommunications, per meetings of family a	cludes accommodations, written and telephone ersonal care, visits, and and resident groups, but this e facility to provide a private ent.			On July 30, 2012 the facili- privacy curtain along the t the toilet seat in the second B. The Social Services Direct resident's rights/dignity ar training to all nursing pers	rack surrounding d floor tub room. tor will conduct a nd sensitivity	
	section, the residen	in paragraph (e)(3) of this t may approve or refuse the and clinical records to any e facility.			The Director of Nursing of schedule an in-service to a personnel on the important services to residents in res	ll nursing ce of providing	
	The resident's right to refuse release of personal and clinical records does not apply when the resident is transferred to another health care institution; or record release is required by law. The facility must keep confidential all information				private areas. The Director of Nursing at Director or designee, will with all hospice providers services to the residents at North, to review the findirents.	nd Social Services schedule a meeting who are providing Foulk Manor	
	the form or storage release is required to	ident's records, regardless of methods, except when by transfer to another			policies and practices as it rights/dignity.	A A A A A A A A A A A A A A A A A A A	8/17/12
ABORATORY	DIRECTOR'S OR PROVID	ER/SUPPLIER REPRESENTATIVE'S SIGN	IATURE	~	TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

	TEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA D PLAN OF CORRECTION IDENTIFICATION NUMBER:		1		PLE CONSTRUCTION	(X3) DATE S COMPL	
				ILDING	j		С
		08A011	B. Wil	√G		07/0	03/2012
	PROVIDER OR SUPPLIER AR FOULK MANOR N	ORTH LLC		12	EET ADDRESS, CITY, STATE, ZIP CO 212 FOULK ROAD VILMINGTON, DE 19803	DDE	
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREF TAG		PROVIDER'S PLAN OF CO (EACH CORRECTIVE ACTION CROSS-REFERENCED TO THE DEFICIENCY)	N SHOULD BE	(X5) COMPLETION DATE
F 164	contract; or the resi This REQUIREMEN by: Based on observat	n; law; third party payment	F	164	C. The Director of Nursing and Director or designee, will cor observation rounds to ensure and certified professionals ar resident privacy and dignity a findings on Weekly Observat	nduct weekly that all licensed e respecting and document tion Log Sheet. or designee will	
	personal privacy for sampled residents.	1 (R13) out of 11 stage II Also, the facility failed to artain for toilet use in the 2nd			during weekly care plan mee	tings.	
	1/1/01, was reviewe Information equips	Policy and Procedure, dated d and included, "Fundamental ment to obtain vital signs if 1. Assemble equipment and			D. The Director of Nursing and Director will review all findi Weekly Observation Log She facility's Quarterly Quality A Meetings for six (6) months.	ngs of the	
And the second s	observed greeting R wheelchair adjacent then pushed R13 a adjacent to the nurs place his stethoscop heart and take R13's	PM, E9 (Hospice RN) was 13 who was seated in a to the nurses' station. E9 few feet, sat in the recliner es' station and proceeded to be to listen to the resident's s blood pressure with other cluding R3, R15 and R16.				, w. **	8/17/12
	6/28/12, in an intervious confirmed that R13	ensure R13's privacy. On lew with E7 (LPN), he should have been taken back amined by the hospice nurse					
or and an and an and an and an	made of R13 having E12 (LPN) while sitti	7 PM, an observation was her temperature taken by ng in a wheelchair across ion with other residents	THE STATE OF THE S		Эмерен Алемант фактамия и и чето метерабать фетом учет почение постать почение в переда переда и чето в метера	eppelariosecurpara processor resector y helse al Longon.	CONTRACT TOTAL VIEW STATE AS A STATE AS A STATE OF THE ST

	TOF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA OF CORRECTION IDENTIFICATION NUMBER:		(X2) MULTI A. BUILDIN		DNSTRUCTION	(X3) DATE SURVEY COMPLETED	
		08A011	B. WING_				C 3/2012
	PROVIDER OR SUPPLIER		1	212 F0	DDRESS, CITY, STATE, ZIP CODE DULK ROAD NGTON, DE 19803		5,2012
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES 'MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG		PROVIDER'S PLAN OF CORRECT (EACH CORRECTIVE ACTION SHOU CROSS-REFERENCED TO THE APPR DEFICIENCY)	JLD BE	(X5) COMPLETION DATE
F 164	7/3/12, in an intervi knew that it was wr		F 164				
F 280 SS=D	was revealed that a privacy curtain. Interview with E6 (C confirmed that the t missing. 483.20(d)(3), 483.1 PARTICIPATE PLA The resident has the incapacitated under participate in planni changes in care and A comprehensive as interdisciplinary teal physician, a register for the resident, and disciplines as deternand, to the extent puthe resident, the resident in the resident i	of the second floor bath, it track was missing a toilet. CNA) on 7/3/2010 at 8:40 AM rack for a privacy curtain was D(k)(2) RIGHT TO NNING CARE-REVISE CP aright, unless adjudged envise found to be the laws of the State, to ang care and treatment or	F 280	A. B. C.	No residents were affected by this practice. The Assistant Director of Nursing designee will conduct in-servicing licensed professionals, on proper documentation and measurable in and outcomes. The Unit Managers or designee, we care plan documentation from the four (24) hour report, daily and remurses as necessary and report find Director of Nursing or designee we The Director of Nursing will review plan findings during the facility's Quality Assurance Meetings for signorths.	g or g with all care plan terventions vill review twenty- educate dings to the reekly. ew all care Quarterly	
	each assessment.		n various en 1944 ville Marie (1945) de la companya de la companya de la companya de la companya de la company	TO ALL PORT OF THE PARTY OF THE	Committee of the commit		8/17/12

	COT OIL MEDIO, WE		(2/0) 1/	1 55 771	IPLE CONSTRUCTION	(X3) DATE SURVEY		
	OF DEFICIENCIES F CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1			COMPLETED		
			A. BUI	LUIN	<u> </u>		c l	
•		08A011	B. WING			07/03/2012		
	ROVIDER OR SUPPLIER			1	REET ADDRESS, CITY, STATE, ZIP CODE 212 FOULK ROAD VILMINGTON, DE 19803			
				<u> </u>		CTION	////	
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREF TAG		PROVIDER'S PLAN OF CORRI (EACH CORRECTIVE ACTION SI CROSS-REFERENCED TO THE AP DEFICIENCY)	IOULD BE	(X5) COMPLETION DATE	
F 280	Continued From pa	ge 3	F:	280			-	
	by: Based on record red determined that the	NT is not met as evidenced eview and interview, it was facility failed to ensure that of 11 stage II sampled						
	recidents' care nian	s were reviewed and revised	allegrafi (1911) (1911) (1911) Tambot (1911) (1911) (1911)	Gardon.			and a compact of the contract	
	after each assessmerevised, however the care plan failed to devaluated the object. The care plan for R	ent. The care plan for R5 was e-information-recorded on the lemonstrate how the facility tives listed on the care plan. 4 failed to include the ed by the hospice aide.						
To the second se	reviewed and revise assist with ADL (Ac Living/Functional St interventions: Provide total assist offer choices as abl between 2 equally a Provide total assist PROM (Passive Ra Make items access	for personal hygiene; e in clothing selection acceptable choices; with incontinent care; inge of Motion) daily ible to resident;						
	halo Bars to B/L sid and repositioning; may use Paratransi	air can be manually moved; e colostomy bag					And the second s	
	The care plan was 6/26/12. However, t	revised on 6/20/12, 6/25/12, the interventions documented	garani da kasanika an kasa an kasa	inglica na gingi ça,	en antique en en marche en un manior de la contra minima del montagen el « que annonen del montago en mai a ma La contra del montago en un manior de la contra minima del montagen el « que annonen del montago en mante del	and a second property of the second property		

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) M A. BUI		E CONSTRUCTION	COMPLETED		
		08A011	B. WIN	IG			3/2012
	ROVIDER OR SUPPLIER	IORTH LLC		121	ET ADDRESS, CITY, STATE, ZIP CODE 2 FOULK ROAD MINGTON, DE 19803		
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFI TAG		PROVIDER'S PLAN OF CORRI (EACH CORRECTIVE ACTION SI CROSS-REFERENCED TO THE AP DEFICIENCY)	IOULD BE	(X5) COMPLETION DATE
F 280	steps that conform identified ADL prob	age 4 these dates failed to reflect with the objectives of the blem to enhance R5's ability to ctives and evaluate its	F2	280			
	The following addit	ional problems and locumented during the dates of		1			
	revision that did no plan entitled, "Total problem": 6/20/12 Mucinex 6 mouth) BID (twice days-encourage Plants of CHF (C 6/26/12 hold Coum Coumadin 1.5 mg DC (discontinue) county (lab work)	of conform to or reflect the care I Assist with ADL care O mg (milligrams) 1 po (by a day) x (times) 7 O (oral) fluids; cardio follow-up secondary to ongestive Heart Failure); leadin on 6/26/12 and 6/27/12; po on 6/28/12; urrent Coumadin orders;					
	6/27/12 Zyrtec 10 in a model of the production o	ng po daily OK to administer blems that were additionally care plan were: to check for blood in stools x					
	6/20/12 check CXF (rule out) RLL, PN, Lobe pneumonia); 6/25/12-repeat CX CHF.	R (chest xray) and labs to R/o A stat (to rule out Right Lower R on 6/27/to f/u (follow up)		-			
age o terror en sous e	This finding was di 7/3/12 by E1(Admi Nursing) and E3 (f	scussed and acknowledged on nistrator), E2 (Director of		anpane rigid viving			pinal se optimise eponisorum kan sami sarokum masurum.
	ivursing) and E3 (f	NNJ.					

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		1	IULTIPI ILDING	LE CONSTRUCTION	COMPLETED			
		08A011	B. WI	NG		07/03/2012		
	ROVIDER OR SUPPLIER	IORTH LLC		121	ET ADDRESS, CITY, STATE, ZIP CODE 12 FOULK ROAD LMINGTON, DE 19803			
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREF TAC		PROVIDER'S PLAN OF CORREC (EACH CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE APPL DEFICIENCY)	OULD BE	(X5) COMPLETION DATE	
F 280	Continued From pa	age 5	F	280		·		
	2. On 6/29/12 at 11 requested to review hospice care provious (nurse) was unable and stated that she	:03 AM, the surveyor v the documentation of the ded to R4 that morning. E11 e to find E10 (hospice CNA) must have already left the information was requested						
1	from E2 (Director of hospice books and no-documentation-R4 on 6/29/12. The 6/27/12. Approximateurned with copie Aide/Homemaker Noare provided to R4 the hospice services	of Nursing), who reviewed the acknowledged that there was for the care provided regarding a last documentation was dated ately, two hours later, E2						30
	hospice book which "Routine Aide visit" by E10 (hospice Cl "Hospice Aide/Hom which was faxed to PM. This CNA not R4 on 6/29/12 from provided care that mouth with toothett acknowledged that inaccurate and not			A Landau Market and the second of the second				
	was discovered that provided to R4 by I	CARE/SERVICES FOR	F	309				-cu
		:					<u>:</u>	ĺ

	F OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA	1		PLE CONSTRUCTION	(X3) DATE SU COMPLE	
AND PLAN C	OF CORRECTION	IDENTITION TO THE PARTY OF THE	A, BUI	LDING	<u> </u>		
		08A011	B. WIN	IG		07/03/2012	
	PROVIDER OR SUPPLIER AR FOULK MANOR N	ORTH LLC	STREET ADDRESS, CITY, STATE, ZIP CO 1212 FOULK ROAD WILMINGTON, DE 19803				
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREF TAG		PROVIDER'S PLAN OF CORRECT (EACH CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE APPLICATION OF THE APPLICATIO	ULD BE	(X5) COMPLETION DATE
F 309	Each resident mus provide the necess or maintain the high mental, and psycho-	age 6 t receive and the facility must ary care and services to attain nest practicable physical, osocial well-being, in e comprehensive assessment	F;	309	A. The facility immediately address identified team member responsi failing to properly follow the trar precautions outlined in the reside plan. The team member now und importance of reviewing all reside care and company transfer policy	ble for nsfer ent's care erstands the ents plan of	
	by: Based on record re observation, it was failed to ensure that sampled residents necessary care and transfer from one s using a stand up lift resident's highest p in accordance with care. Additionally, t R5 received medical physician. There w received Zyrtec in t physician's plan of Findings include: 1A. R5 had diagnor (stroke) with left he joint disease. Acco Data Set (MDS) as was totally dependent person assist for be hygiene. R5 had co shoulder, left elbow	eview, interview and determined that the facility tone (R5) out of 11 stage II received/was provided the diservices during resident urface to another surface to attain or maintain this practicable physical well being the assessment and plan of the facility failed to ensure that action as ordered by the prere 16 occurrences when R5 the morning when the care stated at bedtime. Sees which included CVA miparesis, and degenerative reding to the quarterly Minimum sessment, dated 3/31/12, R5 ent on staff for transfer with 2 atthing, toilet use and personal ontractures on the left of left wrist, left hip, left knee			With regard to the medication fin was no adverse reaction. B. The Assistant Director of Nursing designee will conduct in-servicin nursing staff on proper use of the lift and following resident care placed to the important transcribing physician's orders proceed to the lift and following physician's orders proceed to the lift Manager or designee with the lift of the lift Manager of Mursing or designee. The 11-7 nursing will conduct not check to ensure no errors were report findings to the Unit Manager of the lift Manager of	g or g with all mechanical ans. g will nsed nce roperly. fill make fitor staff ety eekly to the ghtly chart nade and ger or	8/17/12
	1	a care plan on 7/24/11 which				y	

	TEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 08A011		(X2) M A. BUII		PLE CONSTRUCTION G		(X3) DATE SURVEY COMPLETED	
			B. WIN	G		. 07.	C / 03/2012	
	PROVIDER OR SUPPLIER AR FOULK MANOR I	NORTH LLC		12	REET ADDRESS, CITY, STATE, ZIP CO 212 FOULK ROAD VILMINGTON, DE 19803			
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFI TAG	x	PROVIDER'S PLAN OF CO (EACH CORRECTIVE ACTIO CROSS-REFERENCED TO THE DEFICIENCY)	N SHOULD BE	(X5) COMPLETION DATE	
F 309	was last reviewed with ADL care". Th	age 7 on 6/25/12, for "Total assist e care plan intervention with 2 person assist using	F3	09	D. The Director of Nursing wifindings during the facility Quality Assurance Meeting months.	's Quarterly	-	
	On 7/2/12, it was o was caring for R5,	bserved that E13 (CNA) who transferred this resident from rusing the stand-up-lift without			े हार्षेट स्प		8/17/12	
	On 7/3/12 at approobserved being trawheelchair without member prior to reagain transferred R the assistance of an and out of the whirl she was getting tire lift while E13 was porief. On 7/2/12, in an interpret (RN) confirmed that required when using Additionally, on 7/3/by E13 (CNA) and E18. Review of the ple that R5 had an ord (milligrams) PO (by (bedtime). The prescribed med transcribed on R5's Administration Reco	nysician order sheet revealed er of Zyrtec 10 mg mouth) Q (every) HS						
2		tered to R5 at 8:00 AM			en e	en e	a se a mara an	

	T OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1' '	ULTIPLE "DING	CONSTRUCTION	(X3) DATE S COMPL	ETED
		08A011	B. WIN	G		07/0	C)3/2012
	PROVIDER OR SUPPLIER			1212	T ADDRESS, CITY, STATE, ZIP CODE FOULK ROAD MINGTON, DE 19803		
(X4) ID PREFIX TAG	(EACH DEFICIENC	TATEMENT OF DEFICIENCIES BY MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFI TAG	X	PROVIDER'S PLAN OF CORRE (EACH CORRECTIVE ACTION SH CROSS-REFERENCED TO THE API DEFICIENCY)	OULD BE	(X5) COMPLETION DATE
	was discovered do physician's order of the facility failed to care for administratives confirmed with 483.25(a)(3) ADL DEPENDENT RESIDENT	me for 16 days. This finding uring the medication pass econciliation. o follow the physician's plan of ation of the Zyrtec. This finding in E12 (LPN) on 6/28/12. CARE PROVIDED FOR	F 3	12	Cross refer F280 On 6/29/12, after being made aw surveyor's findings, the facility it transported the resident to her rooprovided oral care.	mmediately	
	by: Based on observatives and that one (R4) out or residents received maintain oral hygies Findings include: Review of R4's annuassessment, dated resident was depended including inhospice services. R4 had a current (Juylich originated or day and to monitor R4's care plan for "	NT is not met as evidenced tion, interviews, record review, that the facility failed to ensure f eleven (11) stage II sampled the necessary services to ne as per her plan of care. The indicated that the indent on staff for personal mouth care and was receiving une 2012) physician order 1/5/10 for oral care twice a gums. ADL (Activities of Daily Living) 2/12, included the approach,		B.	The RN Supervisor will randomly residents, on the 7-3 and 3-11 shi ensure that proper mouth care has provided and will immediately adfindings at the time of any occurr. The Director of Social Services we resident rights/dignity and sensitit to all nursing personnel. The Director of Nursing and Social Director or designee, will discuss with all hospice personnel, who as hospice services to the residents at Manor North, during quarterly car meetings or as necessary.	ft, daily, to s been ldress any ence. fill conduct a vity training al Services any findings fe providing t Foulk e plan w all	8/17/12

	TATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		1, ,	NULTIPI ILDING	LE CONSTRUCTION	(X3) DATE SURVEY COMPLETED		
	08A011 AME OF PROVIDER OR SUPPLIER			NG		07/0	C 03/2012	
	PROVIDER OR SUPPLIER	ORTH LLC	. f	121	ET ADDRESS, CITY, STATE, ZIP CODE 12 FOULK ROAD LMINGTON, DE 19803		:	
(X4) ID PREFIX TAG	(EACH DEFICIENC)	TEMENT OF DEFICIENCIES MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREF TAG	IX :	PROVIDER'S PŁAN OF CORREC (EACH CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE APPI DEFICIENCY)	ULD BE	(X5) COMPLETION DATE	
F 312	"assist with oral cargums." During an interview stated that her teetled on 6/29/12 at 9:04 geri chair from her positioned facing the (hospice CNA). Imposervation, E10 with the she had just finicare". When asked stated that she was that she had provide her own electric too on 6/29/12 at 9:10 confirmed that she is denied having her te "They never do it" surveyor her teeth will will be areas of footeeth and gums. The teeth had been brus on 6/29/12 at 9:12 A look at R4's teeth. R	on 6/27/12 at 9:30 AM, R4 were cleaned weekly. AM, R4 was transported in her coom to the hall and enurse's station by E10 mediately following this as interviewed. E10 stated ished R4's "AM (morning) what that included, E10 hed her up and stated, "yes" ed oral care and that R4 had	F	312	DEFICIENCY)			
	care." E11 immedia room and provided of minutes later, E11 refrom the nurse's states showing her teeth to by and stated, "That done every morning."	tely transported R4 to her oral care. Approximately 10 eturned R4 to the area across ion. R4 gave a big smile, the surveyor as she passed feels good It should be			-			
	During an interview i	on 6/29/12 at 9:25 AM, E2						

NAME OF PROMDER OR SUPPLIER FIVE STAR FOULK MANOR NORTH LLC PAID PRESENT FOULK MANOR NORTH LLC PAID SUMMARY STATEMENT OF DESCRIPTIONS SUMMARY STATEMENT OF DESCRIPTIONS REGULATORY OR LSC IDENTIFYING INFORMATION) F 312 Continued From page 10 (Director of Nursing) acknowledged the findings and stated that she was contacting the case manager from hospice and would address this issue (lack of oral care) with the facility administrator. F 323 483,25(h) FREE OF ACCIDENT The facility must ensure that the resident environment remains as free of accident hazards as is possible, and each resident receives adequate supervision and assistance devices to prevent accidents. This REQUIREMENT is not met as evidenced by: Based on observations and staff interviews, it was determined that the facility failed to maintain an environment free of nazards such as a damaged wheelchair and doors to resident rooms, and the storage of unsecured oxygen canisters. Findings include: 1. On 6/28/2012 at 8:55 AM, observations of R5's electric wheelchair revealed that the head and back rest coverings were form. E8 (Maintenance Worker) on 8/28/2010 at 9:15 AM repaired the tears using grey duct tape. 2. On 6/28/2012 at 8:55 AM, observations of the resident room 214 revealed that two (2) unsecured oxygen canisters were stored on the floor by the 2/14 bed. E7 (LPN) acknowledged the finding and removed the canisters. STATE TABORRESS, CITY, STATE, ZIP CODE 1212 FOUR SAD3 PREPENT TAG PROPORTS PLAN OF CORRECTION PREPENT TAG PREPENT TAG PROPORTS PLAN OF CORRECTION PREPENT TAG PREPENT TAG PROPORTS PLAN OF CORRECTION PREPENT TAG PREPENT TAG PREPENT TAG PROPORTS PLAN OF CORRECTION PREPENT TAG PROPORTS PLAN OF CORRECTION PREPENT TAG PREPENT TAG PROPORTS PLAN OF CORRECTION PREPENT TAG PROPORTS PLAN OF CORRECTION PREPENT TAG PREPENT TAG PROPORTS PLAN OF CORRECTION PROPORTS PLAN OF CORRECTION PROPORTS PLAN OF CORRECTION PREPENT TAG PROPORTS		TATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) M A. BUII		E CONSTRUCTION	(X3) DATE SURVEY COMPLETED	
Table Tabl			08A011	B. WIN	IG		ŀ	
FREGULATORY OR LSC IDENTIFYING INFORMATION) F 312 Continued From page 10 (Director of Nursing) acknowledged the findings and stated that she was contacting the case manager from hospice and would address this issue (lack of oral care) with the facility administrator. F 323 483.25(h) FREE OF ACCIDENT SS=D HAZARDS/SUPERVISION/DEVICES The facility must ensure that the resident environment remains as free of accident hazards as is possible; and each resident receives adequate supervision and assistance devices to prevent accidents. This REQUIREMENT is not met as evidenced by: Based on observations and staff interviews, it was determined that the facility failed to maintain an environment free of hazards such as a damaged wheelchair and doors to resident rooms, and the storage of unsecured oxygen canisters. 1. On 6/28/2012 at 8:55 AM, observations of R5's electric wheelchair revealed that the head and back rest coverings were torn. E8 (Maintenance Worker) on 6/28/2010 at 9:15 AM repaired the tears using grey duct tape. 2. On 6/28/2012 at 8:55 AM, observations of the resident room 214 revealed that two (2) unsecured oxygen canisters. EACH CORRECTIVE ACTION SIGNOLD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) F 312 F 312 F 312 A On 6/28/12, the facility repaired the resident's tom wheelchair. On 6/28/12, the facility immediately removed the vox (2) empty unsecured oxygen canisters. On 6/28/12, the facility immediately removed the splintered doors of room 314, 201, 214, 312 and 314. The warped door in room 314 had loose serves on the hings and were immediately lightened and repaired. B. The Maintenance Director or designee will inservice all mursing personnel on proper storage and securing of oxygen canisters. The Director of Nursing will inservice all nursing personnel on proper storage and securing of oxygen canisters. The Maintenance Director and Director of Nursing or designee will conduct weekly environmental rounds to assess the quality of resident furniture, doors and equipment and unagena			ORTH LLC	1212 FOULK ROAD				
(Director of Nursing) acknowledged the findings and stated that she was contacting the case manager from hospice and would address this issue (lack of oral care) with the facility administrator. F 323 483.25(h) FREE OF ACCIDENT SS=D HAZARDS/SUPERVISION/DEVICES The facility must ensure that the resident environment remains as free of accident hazards as is, possible; and each resident receives adequate supervision and assistance devices to prevent accidents. This REQUIREMENT is not met as evidenced by: Based on observations and staff interviews, it was determined that the facility failed to maintain an environment free of hazards such as a damaged wheelchair red doors to resident rooms, and the storage of unsecured oxygen canisters. Findings include: 1. On 6/28/2012 at 8:55 AM, observations of R5's electric wheelchair revealed that the head and back rest coverings were torn. E8 (Maintenance Worker) on 6/28/2012 at 18:55 AM, observations of the tears using grey duct tape. 2. On 6/28/2012 at 8:55 AM, observations of the resident room 214 revealed that two (2) unsecured oxygen canisters were stored on the floor by the 2148 bed. E7 (LPN) acknowledged the finding and removed the canisters.	PREFIX	(EACH DEFICIENC)	Y MUST BE PRECEDED BY FULL	PREFI	7	(EACH CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE APP	QULD BE	COMPLETION
F 323 483.25(h) FREE OF ACCIDENT SS=D HAZARDS/SUPERVISION/DEVICES The facility must ensure that the resident environment remains as free of accident hazards as is possible; and each resident receives adequate supervision and assistance devices to prevent accidents. This REQUIREMENT is not met as evidenced by: Based on observations and staff interviews, it was determined that the facility failed to maintain an environment free of hazards such as a damaged wheelchair and doors to resident rooms, and the storage of unsecured oxygen canisters. Findings include: 1. On 6/28/2012 at 8:55 AM, observations of R5's electric wheelchair revealed that the head and back rest coverings were torn. E8 (Maintenance Worker) on 6/28/2012 at 8:55 AM, observations of the resident room 214 revealed that two (2) unsecured oxygen canisters were stored on the floor by the 214B bed. E7 (LPN) acknowledged the finding and removed the canisters. F 323 A. On 6/28/12, the facility immediately removed the resident's torn wheelchair. On 6/28/12, the facility immediately removed the two (2) empty unsecured oxygen canisters. On 6/29/12, the facility immediately removed the two planting and 11, 21, 312 and 314. The warped door in room 314 had loose screws on the hinges and were immediately tightened and repaired. B. The Maintenance Director or designee will in-service all musting personnel on proper storage and securing of oxygen canisters. The Director of Nursing will in-service all nursing personnel on proper storage and securing of oxygen canisters.	F 312	(Director of Nursing and stated that she manager from hosp issue (lack of oral of	a) acknowledged the findings was contacting the case pice and would address this	F 3	312		ar.	
The facility must ensure that the resident environment remains as free of accident hazards as is possible; and each resident receives adequate supervision and assistance devices to prevent accidents. On 6/28/12, the facility immediately removed the two (2) empty unsecured oxygen canisters. On 6/29/12, the facility immediately repaired the splintered doors of room 317, 201, 214, 312 and 314. The warped door in room 314 had loose screws on the hinges and were immediately tightened and repaired. Based on observations and staff interviews, it was determined that the facility failed to maintain an environment free of hazards such as a damaged wheelchair and doors to resident rooms, and the storage of unsecured oxygen canisters. Findings include: 1. On 6/28/2012 at 8:55 AM, observations of R5's electric wheelchair revealed that the head and back rest coverings were torn. E8 (Maintenance Worker) on 6/28/2012 at 8:55 AM, observations of the tears using grey duct tape. 2. On 6/28/2012 at 8:55 AM, observations of the resident room 214 revealed that two (2) unsecured oxygen canisters were stored on the floor by the 214B bed. E7 (LPN) acknowledged the finding and removed the canisters.		483.25(h) FREE OI		F 3			the	1
by: Based on observations and staff interviews, it was determined that the facility failed to maintain an environment free of hazards such as a damaged wheelchair and doors to resident rooms, and the storage of unsecured oxygen canisters. Findings include: 1. On 6/28/2012 at 8:55 AM, observations of R5's electric wheelchair revealed that the head and back rest coverings were torn. E8 (Maintenance Worker) on 6/28/2010 at 9:15 AM repaired the tears using grey duct tape. 2. On 6/28/2012 at 8:55 AM, observations of the resident room 214 revealed that two (2) unsecured oxygen canisters were stored on the floor by the 214B bed. E7 (LPN) acknowledged the finding and removed the canisters.		environment remair as is possible; and adequate supervision prevent accidents.	ns as free of accident hazards each resident receives on and assistance devices to			On 6/28/12, the facility immediate the two (2) empty unsecured oxy canisters. On 6/29/12, the facility immediate the splintered doors of room 317, 312 and 314. The warped door in	gen tely repaired , 201, 214, a room 314	
electric wheelchair revealed that the head and back rest coverings were torn. E8 (Maintenance Worker) on 6/28/2010 at 9:15 AM repaired the tears using grey duct tape. 2. On 6/28/2012 at 8:55 AM, observations of the resident room 214 revealed that two (2) unsecured oxygen canisters were stored on the floor by the 214B bed. E7 (LPN) acknowledged the finding and removed the canisters.	:	by: Based on observat was determined tha an environment free damaged wheelcha rooms, and the stor	ions and staff interviews, it t the facility failed to maintain e of hazards such as a ir and doors to resident age of unsecured oxygen	·	B.	The Maintenance Director or desi in-service all maintenance and pe identifying damaged resident furr and equipment and understanding	ignee will ersonnel on niture, doors g the process	
2. On 6/28/2012 at 8:55 AM, observations of the resident room 214 revealed that two (2) resident furniture, doors, equipment for unsecured oxygen canisters were stored on the floor by the 214B bed. E7 (LPN) acknowledged the finding and removed the canisters.	!	electric wheelchair r back rest coverings Worker) on 6/28/20	evealed that the head and were torn. E8 (Maintenance 10 at 9:15 AM repaired the		C.	nursing personnel on proper stora securing of oxygen canisters. The Maintenance Director and Di	ge and rector of	
	•	resident room 214 re unsecured oxygen of floor by the 214B be	evealed that two (2) anisters were stored on the d. E7 (LPN) acknowledged			environmental rounds to assess the resident furniture, doors, equipme damage and proper storage of oxy canisters.	e quality of nt for gen	8/17/12


STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1	ULTIPLE LDING	CONSTRUCTION	(X3) DATE SURVEY COMPLETED				
		08A011	B. WIN			07/0	C 3/2012	
	PROVIDER OR SUPPLIER			1212	ADDRESS, CITY, STATE, ZIP CODE FOULK ROAD MINGTON, DE 19803	3. 7.		
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREF TAG		PROVIDER'S PLAN OF CORRE (EACH CORRECTIVE ACTION SH CROSS-REFERENCED TO THE APP DEFICIENCY)	OULD BE	(X5) COMPLE DATI	
F 323	physical contact wi the front door to re- splinter to the surve the laminate to the 201, 214, 312, and	age 11 8:00 AM, observations and the the damaged laminate of sident room 317 resulted in a eyor's right hand. Additionally, front doors of resident rooms 314 were damaged. Also, the nt room 314 was warped.	F3	323 E	Nursing will review all findings facility's Quarterly Quality Ass Meetings for six (6) months.	s during the surance	8/17,	/12
	(Maintenance Direct 483.25(m)(2)-RESI SIGNIFICANT MET The facility must errany significant med This REQUIREMENT by: Based on observation determined that the	sure that residents are free of ication errors. IT is not met as evidenced ion and interview, it was facility failed to ensure that 1		В.	The surveyor's observation previdentified nurse from administeric crushed medication. The Director of Nursing or design schedule an in-service for all lice professionals to review the protocrushing medications. The Unit Manager or designee woekly observations during a me	ing the mee will ensed col for ill make		
	residents was free errors. Findings inc R12 had a diagnosi physician had order sustained release a beginning 2/9/11. On 6/28/12, during observation, E4 (RN The surveyor stopp medication.	s of hypertension. R12's red Toprol XL 100 mg daily, a nti-hypertensive medication		D.	pass to ensure that all medication are being followed and report fin Director of Nursing. The Director of Nursing will reviduring the facility's Quarterly Quastrance Meetings for six (6) medicates and the passing and the passing will revidure the facility of the passing will revide the passing the facility of the passing will revide the passing the passing will r	protocols dings to the ew findings	8/17/:	12
en onen erren e	located in the from o	of the June Medication ord (MAR). Toprol XL was on	mary (Magazi	papulan negarini ili musimudi e u ;	engangangangangangangangangangangangangan	etareneur tradustrum, net venus et gleigs vers of som de designe		epitar awal apabay (emp.) -ya milar

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTR		ONSTRUCTION		(X3) DATE SURVEY COMPLETED	
			A. BUILE	JING		-	С	
		08A011	B. WING	<u></u>		l l	3/2012	
NAME OF PROVIDER OR SUPPLIER FIVE STAR FOULK MANOR NORTH LLC				1212 F	ADDRESS, CITY, STATE, ZIP OULK ROAD INGTON, DE 19803	, CODE		
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG		PROVIDER'S PLAN OF (EACH CORRECTIVE ACT CROSS-REFERENCED TO DEFICIENCE	TION SHOULD BE THE APPROPRIATE	(X5) COMPLETION DATE	
F 333	Continued From pa	-	F 33	33				
F 441 SS=D	findings. 483.65 INFECTION	nterview, E4 acknowledged the N CONTROL, PREVENT	F 44	41 A.	No residents were affect deficient practice.	ed by this potentially	** - 1.0 to 1.0	
·	Infection Control Pi safe, sanitary and	stablish and maintain an rogram designed to provide a comfortable environment and development and transmission ection.		В.	The Staff Development designee will schedule a nursing personnel on protechniques.	n in-service to all		
	Program under whi (1) Investigates, co in the facility;	stablish an Infection Control		C.	The Unit Manager or deweekly observations to epersonnel are using proptechniques and report fit of Nursing.	ensure that nursing per handwashing	10/16/12	
		to an individual resident; and corrective infections.		D.	Completion Date: October The Director of Nursing findings during the facil	g will review all	10/10/12	
	determines that a represent the spread	tion Control Program resident needs isolation to of infection, the facility must			Quality Assurance Meet months.			
	communicable dise from direct contact direct contact will tr (3) The facility mus hands after each di	est prohibit employees with a cease or infected skin lesions with residents or their food, if ransmit the disease. Set require staff to wash their irect resident contact for which dicated by accepted		· Company of the comp	Completion Date: Janua	ry 16, 2013	1/16/13	
	(c) Linens							

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
		08A011	B. WING			07/03/201	
	PROVIDER OR SUPPLIER AR FOULK MANOR I		, ,	121:	ET ADDRESS, CITY, STATE, ZIP CODE 2 FOULK ROAD LMINGTON, DE 19803		
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES BY MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREF TAG		PROVIDER'S PLAN OF CORRE (EACH CORRECTIVE ACTION SH CROSS-REFERENCED TO THE API DEFICIENCY)	IOULD BE	(X5) COMPLETION DATE
F 441		age 13 andle, store, process and as to prevent the spread of	FΔ	141			
	by:	NT is not met as evidenced					
;	safe, sanitary and to help prevent the transmission of dis residents (R2 and residents. The faci hand washing tech of germs and infecinclude: On 6/27/12 at 9:55 washing her hand i transferring R3 usit (CNA) to toilet the washed her hands that she used to draucet, potentially ron 6/27/12, in an ir the finding. On 6/29/12 at 8 AW washing his hands observation for R2, that he used to dry faucet, potentially refused to dry faucet, potentially refused to dry faucet, potentially refused to the same and the same	ease and infection for 2 R3) out of 11 stage II lity failed to provide proper niques to prevent the spread tion during care. Findings AM, E16 (CNA) was observed n the tub room after ng a stand up lift with E17 resident. However, E16 and with the wet paper towels y her hands, shut off the econtaminating her hands. hterview, E16 acknowledged I, E18 (LPN) was observed during a medication pass With the wet paper towels his hands, E18 shut off the econtaminating his hands.		The second secon			
AND THE PROPERTY OF THE PROPER	On 6/29/12, in an in the finding.	terview, E18 acknowledged	ozenien zaeneun z			PPE AMERICA POSTERIJA I PRETIRAR SPIRAMANA AF ACT	Merrida (alama esemble a totala de parte) para por

DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: (X2) MULTIPLE CONSTRUCTION A. BUILDING (X3) DATE SURVEY COMPLETED C

AND PLAN OF CORRECTION		IDENTIFICATION NUMBER:	1	A. BUILDING			COMPLETED	
		08A011	B. WI			07/9	C 03/2012	
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE 1212 FOULK ROAD WILMINGTON, DE 19803						, ZIP CODE		
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREF TAG		PROVIDER'S PLAN OF COR (EACH CORRECTIVE ACTION S CROSS-REFERENCED TO THE A DEFICIENCY)	SHOULD BE	(X5) COMPLETION DATE	
			-				-	
			:		·		i	
:		The same of the sa						
							:	
;								
:			•					
		·						
			:					
							:	
i	*							



DHSS - DLTCRP 3 Mill Road, Suite 308 Wilmington, Delaware 19806 (302) 577-6661

STATE SURVEY REPORT

Page 1 of 3

NAME OF FACILITY: Five Star Foulk Manor North

DATE SURVEY COMPLETED: July 3, 2012

SECTION	STATEMENT OF DEFICIENCIES Specific Deficiencies	ADMINISTRATOR'S PLAN FOR CORRECTION OF DEFICIENCIES WITH ANTICIPATED DATES TO BE CORRECTED
	An unannounced Annual and Complaint survey was conducted at this facility from June 26, 2012 through July 3, 2012. The deficiencies contained in this report are based on observations, interviews, review of resident's records and review of other documentation as indicated. The facility census the first day of the survey was 41. The survey sample totaled 17 residents.	Cross refer to the CMS 2567-L survey report date completed 7/3/12. F164, F280, F309, F312, F323, F333 and F441.
3201.1.0	Skilled and Intermediate Care Nursing Facilities	Completion Date: 8/17/12
3201.1.2	Nursing facilities shall be subject to all applicable local, state and federal code requirements. The provisions of 42 CFR Ch. IV Part 483, Subpart B, requirements for Long Term Care Facilities, and any amendments or modifications thereto, are hereby adopted as the regulatory requirements for skilled and intermediate care nursing facilities in Delaware. Subpart B of Part 483 is hereby referred to, and made part of this Regulation, as if fully set out herein. All applicable code requirements of the State Fire Prevention Commission are hereby adopted and incorporated by reference. This requirement is not met as	
	evidenced by: Cross refer to the CMS 2567-L survey report date completed 7/3/12, F164, F280, F309, F312, F323, F333, and F441.	
F371	483.5(i) Food Procurement, Store/Prepare/Serve Sanitary	

²rovider's Signature

Lay WHA Title Duntive Dictor Date Suport 2, 2012



DHSS - DLTCRP 3 Mill Road, Suite 308 Wilmington, Delaware 19806 (302) 577-6661


STATE SURVEY REPORT

Page 2 of 3

NAME OF FACILITY: Five Star Foulk Manor North

DATE SURVEY COMPLETED: July 3, 2012

SECTION	STATEMENT OF DEFICIENCIES Specific Deficiencies	ADMINISTRATOR'S PLAN FOR CORRECTION OF DEFICIENCIES WITH ANTICIPATED DATES TO BE CORRECTED
	The facility must –	
	(1) Procure food from sources approved or considered satisfactory by Federal, State or local authorities; and (2) Store, prepare, distribute and serve food under sanitary conditions.	
	·	namakana ang kanasanan kanasan sa sa sa maran in sa a kanasanan ang kanasan ina kanasan sa kanasan ang kanasan
	This requirement is not met as	· · · · · · · · · · · · · · · · · · ·
	evidenced by:	
	Based on observation, the facility failed to ensure that the dining floor was clean and food was delivered and served under sanitary conditions. Findings include:	
	Prior to breakfast and during breakfast mealtime on 6/26/12, food debris was observed all over the third floor dining room floor.	
	During a breakfast dining observation on the third floor unit on 6/26/12 at approximately 9:00 AM to 9:30 AM, the following were observed:	
	E15 (CNA) was observed feeding a resident. Right after E15 finished feeding that resident, without washing hands went to another table to help feed R20. While feeding R20, E15 picked up a piece of the toasted bread with jelly using her bare	
	hand and fed it to this resident. After feeding R20, E15 went to the food cart in the hallway and without washing her hands, took a food tray from the food cart and delivered it to R18's room. E15 placed the breakfast tray on R18's bedside table. Without washing her hands, she donned a pair of gloves, touched and repositioned R18's Foley catheter tubing	



DHSS - DLTCRP 3 Mill Road, Suite 308 Wilmington, Delaware 19806 (302) 577-6661

STATE SURVEY REPORT

Page 3 of 3

NAME OF FACILITY: Five Star Foulk Manor North

DATE SURVEY COMPLETED: July 3, 2012

SECTION	STATEMENT OF DEFICIENCIES Specific Deficiencies	ADMINISTRATOR'S PLAN FOR CORRECTION OF DEFICIENCIES WITH ANTICIPATED DATES TO BE CORRECTED	_
	and bag. Then, E15 removed and discarded the gloves and fed R18 without washing her hands. The facility failed to serve food under		
	sanitary conditions. This finding was discussed with and confirmed by E15 (CNA) and E4 (RN) on 6/26/2012.		
		*	
1, с т. т. н. е от т.	ыр мороль Алей Андерия (Сомор Савина от на виделе и на мороль достой под подосности на под постой на под под на под под на под н		